

威 佳

威佳电气,
每位工程师的专业选择!

UE-iLamp

Product Introduction



使用产品前请仔细阅读本使用说明，并请妥善保管

1 产品概述

Product Description

UE-iLamp 系列采用 T5 高亮灯管, 防雾, 带灯罩, 光线柔和均匀, 安装方便快捷 (另有 LED 灯管选配)。

材料: 铝材 + 塑胶, 安装方便

认证: 3C, CE

UE-iLamp series adopts T5 high brightness lamp tube, anti fog, with lampshade, soft and uniform light, convenient and fast installation (with LED lamp optional).

Material: aluminum + plastic, easy to install

Certification: 3C, CE

1.1 产品参数 Product Parameters


应用领域 Application Area	适用于各种电器柜, 通讯柜的柜体的内部照明 It is suitable for the interior lighting of various electrical cabinets and communication cabinets
工作电压 Working Voltage	AC200~AC240V (特殊电压可定制) Special voltage can be customized
电源频率 Power Frequency	50~60Hz
功率 Power	8W, 12W
工作寿命 Working Life	> 50000h
照明角度 Illumination Angle	> 150°
工作温度 Working Temperature	-30°C~+70°C
材质 Material	铝合金, 灯罩: PC Aluminum Alloy, Lampshade: PC
防护等级 Protection Level	IP20

1.2 产品分类 Product Classification

型号 Model	光源选择 Light Source Selection	材料组合 Material Combination	外观尺寸 Appearance Size	附件 Accessories
UE-iLamp508E	8W,220VAC,50Hz	铝型材 + 塑胶 Aluminum Profile + Plastic	W26*L312*H45	电源线 + 门位开关 Power Line + Door Switch
UE-iLamp512E	12W,220VAC,50Hz		W26*L572*H45	
UE-iLamp608E	8W,220VAC,50Hz			自感应无需门位开关 Self induction should not need door switch


2 原理图

Schematic Diagram



3 安装

Installation



安装示意图
Installation Diagram



门位开关电源线附件
Door Switch Power Cord Accessories

UE-iLamp

Product Introduction

Vaule Plus,
Professional Choice of Each Engineer!

Wuxi Vaule Plus Electric Power Technology Co., Ltd
South side of shuofanlihe road and west side of sun'an highway, Xinwu District, Wuxi City
Email sale@gb-value.com

